	Application No.	Applicant(s)
Notice of Allowability	10/635,889	SCHIEBLER, MARK
	Examiner	Art Unit
	Anita M. King	3632
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in or other appropriate community GHTS. This application is s	this application. If not included unication will be mailed in due course. THIS
1. A This communication is responsive to amendment filed 8/29	<u>9/06</u> .	
2. X The allowed claim(s) is/are <u>98-150</u> .		
3. ☐ Acknowledgment is made of a claim for foreign priority una a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give 5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must (a) ☐ including changes required by the Notice of Draftspers 1) ☐ hereto or 2) ☐ to Paper No./Mail Date	been received in Application to this communication to file ENT of this application. itted. Note the attached EXA as reason(s) why the oath or the submitted. on's Patent Drawing Review	In No In No In this national stage application from the din this national stage application from the a reply complying with the requirements AMINER'S AMENDMENT or NOTICE OF declaration is deficient.
(b) including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.	.84(c)) should be written on th	ne drawings in the front (not the back) of
each sheet. Replacement sheet(s) should be labeled as such in the deposit of and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT I	sit of BIOLOGICAL MATE	ERIAL must be submitted. Note the
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. Interview Su Paper No./ 7. Examiner's	formal Patent Application ummary (PTO-413), Mail Date Amendment/Comment Statement of Reasons for Allowance -

Application/Control Number: 10/635,889

Art Unit: 3632

This is the fourth office action for application number 10/635,889, Multi-Use Linkage Device, filed on August 6, 2003.

Drawings

The drawings were received on May 19, 2006. These drawings are acceptable.

Reasons for Allowance

The following is an examiner's statement of reasons for allowance: the primary reasons for the allowance of the claims in this application are the limitations of a linkage device having a strip, a closure hub, a locking mechanism within the hub, a connecting surface protruding from the strip to secure to the hub, an application distinct tag connected to the device, and wherein changes in the tag identify whether the linkage device has been tampered with, now included in independent claim 98 and in combination with the other elements recited in the claim, which is not found by the prior art of record; a linkage device having a strip, a closure hub, a locking mechanism within the hub, a connecting surface protruding from the strip to secure to the hub, an application distinct tag connected to the device, wherein the tag is detectable by photon activation comprising at least one of laser photon activation, visible light photon activation, X-ray photon activation, and infrared photon activation, now included in independent claim 101 and in combination with the other elements recited, which is not found in the prior art of record; and a linkage device having a strip, a closure hub, a locking mechanism within the hub, a connecting surface protruding from the strip to

Application/Control Number: 10/635,889

Art Unit: 3632

secure to the hub, an application distinct tag connected to the device, wherein the tag further includes a plurality of fiber optic strands within the device wherein the strands possess unique frequency characteristics which will change when the device is tampered with, now included in independent claim 102 and in combination with the other elements recited, which is not found in the prior art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Anita M. King whose telephone number is (571) 272-6817. The examiner can normally be reached on Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Carl Friedman can be reached on (571) 272-6842. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Page 4

Application/Control Number: 10/635,889

Art Unit: 3632

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Anita M. King Primary Examiner Art Unit 3632

October 31, 2006